#### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT

(51) International Patent Classification 4: A61K 39/12, 39/39	A1	1).International Publication Number: WO 86 3) International Publication Date: 30 January 1986	5 <b>/ 00529</b> (30.01.86)
(21) International Application Number: PCT/H	U85/000	W-L	
(22) International Filing Date: 1 July 1985	(01.07.	Published	
(31) Priority Application Number:	3616	With international search report.	
(32) Priority Date: 2 July 1984	(02,07.		
(33) Priority Country:	ŀ	·	
<ul> <li>(71)(72) Applicant and Inventor: CSATÁRY, Lás HU]; Deres u. 7, H-1124 Budapest (HU).</li> <li>(74) Agent: PATENTBUREAU DANUBIA; I linszky ut 16, H-1368 Budapest (HU).</li> </ul>		·	
(81) Designated States: AT (European patent), AU ropean patent), BR, CH (European patent) ropean patent), DK, FI, FR (European patent), II (European patent), II (European patent), II ropean patent), MC, NL (European patent) SE (European patent), SU, US.	), DE (I atent), (		

## (54) Title: AN ANTIVIRAL PREPARATION AND THE METHOD OF ITS PRODUCTION

#### (57) Abstract

A biological preparation for the treatment of virus infections, and the procedure of its production. The principle of the method is to combine attenuated Gumboro virus with at least one registered carrier. The preparation which is the object of the invention is characterized by comprising attenuated Gumboro virus.



## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

			٠.		340	Manualanata
	ΑT	Austria	GA	Gabon	MR	Mauritania
	ΑU	Australia	GB.	United Kingdom	MW	Malawi
	BB	Barbados	HU	Hungary	NL	Netherlands
	BE	Belgium	IT	Italy .	NO	Norway
	BG	Bulgaria	JP.	Japan	RO	Romania .
	BR	Brazil	KP	Democratic People's Republic	SD	Sudan
	CF	Central African Republic		of Korea	SE	Sweden .
	CG	Congo	KR	Republic of Korea	SN	Senegal
	CH	Switzerland	LI	Liechtenstein	SU	Soviet Union
	CM	Cameroon	LK	Sri Lanka	TD	- Çhad
	DE	Germany, Federal Republic of	LU	Luxembourg	TG	Togo
	DK	Denmark	MC	Monaco	US	United States of America
	FI	Finland	MG	Madagascar		
1	ED	Fernes	MY	Meli		

WO 86/00529 PCT/HU85/00040

AN ANTIVIRAL PREPARATION AND THE METHOD OF ITS PROJECTION

#### Object

of these preparations to humans.

ases.

The object of the invention is a biological preparation for the treatment of virus infections. The ject of the invention is also the procedure of its production, and further objects are the use of attenuated Gumboro virus or Gumboro virus vaccine for treatment of virus infections in humans, and the application.

The preparation is suitable for the treatment of practically any virus infection, and is particularly efficient against Herpesvirus infections, neoplastic diseases, aphthostomatosis and collagen dise-

#### Professional information

Po parenchyma. It has three different forms, known as exidemic hepatitis (hepatitis A virus infection), serve hepatitis (hepatitis B virus infection) and non-A-non-B (or C) hepatitis, a condition presumably caused by a hepatitis virus other than A or B.

The clinical course of the nepatitis A infection is relatively mild. Latency is usually 10-28 days.

The patient is confined to bed for 30-45 days, and disability lasts still longer. The infection evokes specific immunity to further hepatitis A infection(3), but no vaccine is available for prevention.



Hepatitis B infection takes a more serious clinical course, and its latency is also longer, 50 - - 160 days. Virus B is much more resistant to thermic and chemical influences than virus A and most other viruses. Hepatocellular carcinoma is a frequent sequel to hepatitis B infection. This infection does not, as a rule, evoke an immune response. A vaccine prepared from the blood of convalescents is available against hepatitis B, but it has been little used on account of its possible side effects (AIDS) and high price.

As yet no preparation has been available for hepatitis therapy. The purpose of the present invention has therefore been to develop a biological preparation suitable for the therapy and control of viral hepatitis.

15

20

#### Disclosure of the invention

The object of the invention is the development, and method of production of an antiviral preparation containing attenuated Gumboro virus, with or without an adjuvant potentiating the latter's action.
Object of the invention is also the application of the
above preparations, and the use of attenuated Gumboro
virus, in human therapy.

The Gumboro virus vaccine is known and wide-5 ly used in the veterinary field.

The Gumboro disease is an acute viral disease of chickens, affecting them mainly at the age of 3-6 weeks. Its main symptoms are watery diarrhea, hyper-

trophy of the bursa of Fabricius, and inflammation of the lymphoid organs. In the USA the Gumboro disease, also known as infectious bursitis of chickens, was first described by Congreve in 1957. The disease also occurs in European countries, among others in Hungary. The causal agent of the disease, an enterovirus, is noted for its high resistance. The symptoms set in abruptly after a latency of 2-4 days, and usually subside after a week; most losses occur between days 3 and 5 of the clinical course. In the outbreaks studied, mcrbidity was 1-30 %, and mortality was 4-5 %.

Gumboro virus used by us is prepared by methods known from the literature. For example, a freeze-dried vaccine is prepared from attenuated virus propagated in primary or secondary fibroblast cultures from 10-11-day chick embryos. Sterile virus material of at least 10<sup>6</sup> TCID<sub>50</sub>/0.1 ml titre may be used for production of the vaccine, as prescribed in the Pharm. Hung. VI. To the sterile virus material is added 50 % skim milk, and 2 ml amounts of the vaccine are distributed to 10 ml vials for freeze-drying.

The expiration time of the vaccine is one year when stored in sealed vials at +4 °C. Safety testing is performed in 15 SPF chickens aged 3 weeks; the birds must not show symptoms within 14 days of vaccination.

The freeze-dried vaccine is delivered in

packing units of 100, 200, 500 and 1000 doses, and is used for prevention of the Gumboro disease. It is administered orally, in the drinking water.

The vaccine described above is used as active substance of the preparation which is the object of the invention. Naturally the attenuated virus itself, or any solution (e.g. a physiological solution) thereof can also be used for that purpose.

The Gumboro virus is non-pathogenic for man even in its virulent state. Its attenuated form is doubly safe for humans.

Most human vaccines contain inactivated virus. However, the Gumboro vaccine - the object of the invention - is prepared exclusively from attenuated virus.

The underlying mechanism of its antiviral action is presumably an interference phenomenon, more precisely a competition between the infecting virus and the vaccine virus.

Gumboro virus was potentiated mainly by certain tranquillizers. Of the latter the drugs of choice are the phenothiazine derivatives substituted usually in positions 2 and 10. Chlorpromazine (10-(3'-dimethyl-amino-propyl)-2-chloro-phenthiazine) proved to be the most effective compound in this respect. The range of the possible potentiating agents is, naturally, not limited to phenothiazine-like tranquillizers.

Apart from chlorpromazine, promethazine,

1

methophenazine, aminopromazine and similar compounds can be used as potentiating agents.

The attenuated virus component of the preparation which is the object of the invention should preferably be adsorbed onto a common carrier substance.

A freeze-dried vaccine with carrier proved to be the most advantageous, but the preparation can also be delivered in other forms, such as solution, suppository, capsule, emulsion, suspension, etc.

- The applied dose depends on the patient treated, actual composition of the preparation, stage of disease and virus strain used. Of the attenuated virus 1000 to 5000 U, preferably 3000 4000 U, should be used daily either in a single dose or in 2-5 divided doses. Administration on 6 consecutive days is usually sufficient for full effect. Application may be oral or rectal, but where local therapy is required, as in Herpesvirus infections, the preparation can be applied in the form of solution or ointment.
- With a potentiating agent added, the dosage also depends on patient, stage of infection and type of causative agent. For example, chlorpormazine may be administered at the daily dose level of 10-15 mg. A synergistic preparation should contain 10-100 mg chlorpromazine for each 1000 U of attenuated virus.

The preparations which are the object of the invention have been tested in many animal experiments and human trials, and developed in these a practically

100 % therapeutic effect against both hepatitis A and B, without any toxic side effect. They are suitable not only for symptomatic treatment, but also for prophylactic use: the contact persons of hepatitis A patients, given Gumboro virus preventively within 5 weeks of

Further animal experiments and clinical trials in virus infections other than hepatitis have revealed the therapeutic efficiency of the preparations against many virus diseases.

The most promising results were obtained in the following conditions:

- Herpesvirus infections such as herpes simplex I, II, herpes zooster, cytomegalovirus disease,
- - various viral neoplastic diseases, above all liver cancer; .
    - aphthostomatosis;

latency, did not contract the infection.

- collagen diseases, e.g. polyarteritis
- 20 nodosa.

#### Claims

- l. Procedure for the production of a biological preparation against virus diseases, c h a r a c t e r i z e d by combination of attenuated Gumboro
  virus with at least one registered carrier.
  - 2. Procedure according to claim 1, c h a r a c t e r i z e d by addition of a potentiating agent to the preparation.
    - 3. Procedure according to claim 2,
- 10 characterized by addition of shlorpromazine for potentiation.
  - 4. Antiviral preparation character = ized by comprising attenuated Gumboro virus.
    - 5. Antiviral preparation according to Claim
- 15 4, characterized by comprising a registered carrier.
  - 6. Preparation according to claim 4 and/or claim 5, c h a r a c t e r i z e d by comprising a potentiating agent.
- 7. Preparation according to claim 6, characterized by comprising chlorpromazine as potentiating agent.
  - 8. Application of attenuated Gumboro virus or Gumboro virus vaccine for therapy of virus infections in humans.
  - 9. Treatment of human virus infections with Gumboro vaccine or attenuated Gumboro virus.
    - 10. Treatment of hepatitis with Gumboro

vaccine or attenuated Gumboro virus.

11. The treatment according to claims 9 and 10, characterized by using a potentiating agent.

### INTERNATIONAL SEARCH REPORT

International Assistation No PCT/HU 85/00040

	to interest	OF SUBJECT MATTER (if several classifications) Patent Classification (IPC) or to both National	Classification and IPC	<del> </del>
IPC		A 61 K 39/12, A 61 K 3		
IFC				
. FIELDS	SEARCH	<del></del>	In Compad 2	•
espificatio	n System	Minimum Documentati	saification Symbols	
THE PERSON NAMED IN	in System		,	
Int.	.c1 <sup>.4</sup> :	A 31 K 39/12, A 61 K	39/39	
		Documentation Searched other than to the Extent that such Documents are	Minimum Documentation	
		to the Extent that agen coccurate an	• milesee at the trainer can dist	
		•	•	
•			•	
ii. DOCU	MENTS (	ONSIDERED TO BE RELEVANT	·	
tegory *	Citat	ion of Document, 11 with Indication, where approx	priate, of the relevant passages 12.	Relevant to Claim No. 13
х	Sept page	A, 143 793 (U. SCHMIDT, ember 10,1980 (10.09.80 1, lines 5-21; page 2,	), see claims 1-3,	(1,4,5)
	line	23, example	•	
X	AT, B, 308 967 (BEHRINGWERKE AKTIENGESELL- (SCHAFT) July 25, 1973 (25.07.73), see claim 1; page 2, lines 10-13, 43-49;			
A	US, A, 3 548 055 (J.M. MOULTHROP)  December 15, 1970 (15.12.70), see claims 1,4;  column 1, line 65 - column 2, line 35			
A		A, 3 885 011 (G. RENOUX 20, 1975 (20.05.75), se		(2,6)
"A" do	coment de insidered to irlier document and ing date inch is cite tation or of incument re ther means incument pu	es of cited documents: 18  fining the general state of the art which is not is be of particular relevance tent but published on or after the international tich may throw doubts on priority claim(s) or dito attablish the publication date of another her apacial reason (as specified) terring to an oral disclosure, use, exhibition or blished prior to the international filing date but a priority date claimed	"I" later document published after or priority date and not in concited to understand the princi invention.  "X" document of particular releving cannot be considered novel of involve an inventive step.  "Y" document of particular releving cannot be considered to involve document is combined with or ments, such compination being in the art.	flict with the application ple or theory underlying ince: the claimed inven- or cannot be considered inca; the claimed inven- e an inventive step when the or more other such do g obvious to a person the
	TIFICATI			
		Completion of the International Searth  mber 1985 (19.09.85)	24 September 198	
			Planeton of A shades A Office	<del></del>
internett	onal Searci	ning Authority	Signature of Authorized Officer	holie

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET				
!				
V. OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE 1				
This international search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons:				
1. Claim numbers 8-1.1 Decause they relate to subject matter not required to be searched by this Authority, namely:				
Methods for treatment of the human or animal body by therapy -				
see Article 17(2)a)i) and Rule 39.1, iv).				
2. Claim numbers because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:				
ments to such an extent that no meaningth-international search can be carried out, specifically:				
•				
3. Claim numbers because they are dependent claims and are not drafted in accordance with the second and third sentences of				
PCT Rule 6.4(a).				
VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING 2				
This international Searching Authority found multiple inventions in this international application as follows:				
·				
,				
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims				
of the international application.				
2 As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:				
1 No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claim numbers:				
the interior in a mandeliae of the comment to contain all contains at contains and				
4. As all searchable claims could be searched without effort justifying an additional fee, the international Searching Authority did not invite payment of any additional fee.				
Remark on Protect				
The additional search fees were accompanied by applicant's protest.				
No protest accompanied the payment of additional search fees.				

Anhang zum internationalen Recherchenbericht über die internationale Patentanmeldung

In diesem Anhang sind die Mitglieder der Patentfamilien der im obengenannten internationalen Recherchenbericht angeführten Patentdokumente angegeben. Diese Angaben dienen nur zur Unterrichtung und erfolgen ohne Gewähr.

Annex to the International Search Report on International Patent Application No.PCT/HU 85/00040

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned International search report. The Austrian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Annexe au rapport de recherche internationale relatif à la demande de brevet international n°.

La présente annexe indique les membres de la famille de brevets relatifs aux documents de brevets cités dans le rapport de recherche internationale visé ci-dessus. Les renseignements fournis sont donnés à titre indicatif et n'engagent pas la responsabilité de l'Office autrichien des brevets.

Im Recherchenbericht
angeführtes Patentdokument
Patent document cited
in search report
Document de brevet cité
dans le rapport
de recherche

Datum der
Veröffentlichung
Publication
date
Date de
publication

Mitglied(er) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets Datum der
Veröffentlichung
Publication
date
Date de
publication

DD-A-	143 793	10/09/80	None .
AT-B-	308 967	25/07/73	BE-A1- 772 448 10/03/72 CH-A - 560 760 15/04/75 DE-A -2 045 160 30/03/72 DE-B2-2 045 160 22/08/74 DE-C3-2 045 160 10/04/75 DK-B - 129 590 28/10/74 DK-C - 129 590 24/03/75 ES-A1- 394 860 01/01/75 FR-A5-2 106 482 05/05/72 FR-B1-2 106 482 18/10/74 GB-A -1 327 870 22/08/73 IL-A0- 37 682 29/11/71 IL-A1- 37 682 30/06/74 NL-A -7 112 237 14/03/72 NL-B - 150 684 15/09/76 US-A -3 769 400 30/10/73
	548 055	15/12/70	None
US-A-3	885 011	20/05/75	AU-A1-49 846/72 13/06/74 BE-A2- 793 530 29/06/73 CA-A1-1 007 567 29/03/77 DE-A1-2 263 094 12/07/73 FR-A1-2 230 345 20/12/74 FR-B1-2 230 345 10/11/77 IL-A0- 41 199 28/02/73 NL-A -7 217 768 03/07/73 ZA-A - 729 156 28/08/74

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.